Alpha status, dominance, and division of labor in wolf packs

L. David Mech

Abstract: The prevailing view of a wolf (*Canis lupus*) pack is that of a group of individuals ever vying for dominance but held in check by the "alpha" pair, the alpha male and alpha female. Most research on the social dynamics of wolf packs, however, has been conducted on non-natural assortments of captive wolves. Here I describe the wolf-pack social order as it occurs in nature, discuss the alpha concept and social dominance and submission, and present data on the precise relationships among members in free-living packs, based on a literature review and 13 summers of observations of wolves on Ellesmere Island, Northwest Territories, Canada. I conclude that the typical wolf pack is a family, with the adult parents guiding the activities of the group in a division-of-labor system in which the female predominates primarily in such activities as pup care and defense and the male primarily during foraging and food-provisioning and the travels associated with them.

Résumé : La notion généralement acceptée d'une meute de Loups gris (Canis lupus) est celle d'un groupe d'individus qui convoitent continuellement la dominance mais qui voient leurs ambitions inhibées par le couple « alpha », le mâle alpha et la femelle alpha. Cependant, la recherche sur la dynamique sociale des loups se fait généralement sur des groupes non naturels de loups en captivité. Je décris ici l'ordre social des meutes de loups en nature, j'examine le concept alpha, le concept de dominance sociale et de soumission et je présente des données sur les relations réelles entre les membres de meutes vivant en liberté d'après une révision de la littérature et des observations directes de loups pendant 13 étés dans l'île d'Ellesmere, Territoires du Nord-Ouest, Canada. J'ai conclu qu'une meute typique est une famille dans laquelle les parents adultes dirigent les activités du groupe selon un système de partage des tâches, où la femelle prédomine surtout dans les activités de parentage et de défense des petits et le mâle, surtout au cours des activités de quête de nourriture et d'accumulation de réserves et au cours des déplacements que supposent ces activités.

[Traduit par la Rédaction]

Introduction

Wolf (*Canis lupus*) packs have long been used as examples in descriptions of behavioral relationships among members of social groups. The subject of social dominance and alpha status has gained considerable prominence (Schenkel 1947; Rabb et al. 1967; Fox 1971*b*; Zimen 1975, 1982), and the prevailing view of a wolf pack is that of a group of individuals ever vying for dominance but held in check by the "alpha" pair, the alpha male and alpha female (Murie 1944; Mech 1966, 1970; Haber 1977; Peterson 1977).

Most research on the social dynamics of wolf packs, however, has been conducted on wolves in captivity. These captive packs were usually composed of an assortment of wolves from various sources placed together and allowed to breed at will (Schenkel 1947; Rabb et al. 1967; Zimen 1975, 1982). This approach apparently reflected the view that in the wild, "pack formation starts with the beginning of winter" (Schenkel 1947), implying some sort of annual assembling of independent wolves. (Schenkel did consider the possibility that the pack was a family, as Murie (1944) had already reported, but only in a footnote.)

In captive packs, the unacquainted wolves formed dominance hierarchies featuring alpha, beta, omega animals, etc. With such assemblages, these dominance labels were probably appropriate, for most species thrown together in captivity would usually so arrange themselves.

In nature, however, the wolf pack is not such an assemblage. Rather, it is usually a family (Murie 1944; Young and Goldman 1944; Mech 1970, 1988; Clark 1971; Haber 1977), including a breeding pair and their offspring of the previous 1–3 years, or sometimes two or three such families (Murie 1944; Haber 1977; Mech et al. 1998).

Occasionally an unrelated wolf is adopted into a pack (Van Ballenberghe 1983; Lehman et al. 1992; Mech et al. 1998), or a relative of one of the breeders is included (Mech and Nelson 1990), or a dead parent is replaced by an outside wolf (Rothman and Mech 1979; Fritts and Mech 1981) and an offspring of opposite sex from the newcomer may then replace its parent and breed with the stepparent (Fritts and Mech 1981; Mech and Hertel 1983).

Nevertheless, these variations are exceptions, and the pack, even in these situations, consists of a pair of breeders and their young offspring (Mech 1970; Rothman and Mech 1979; Fritts and Mech 1981; Mech and Hertel 1983; Peterson et al. 1984). The pack functions as a unit year-round (Mech 1970, 1988, 1995*b*).

As offspring begin to mature, they disperse from the pack as young as 9 months of age (Fritts and Mech 1981; Messier

Received February 2, 1999. Accepted May 25, 1999.

L.D. Mech.¹ Biological Resources Division, U.S. Geological Survey, Northern Prairie Wildlife Research Center, 8711 37th Street SE, Jamestown, ND 58401-7317, U.S.A.

¹Present address: North Central Research Station, 1992 Folwell Avenue, St. Paul, MN 55108, U.S.A. (e-mail: Mechx002@tc.umn.edu).

1985; Mech 1987; Fuller 1989; Gese and Mech 1991). Most disperse when 1–2 years old, and few remain beyond 3 years (Mech et al. 1998). Thus, young members constitute a temporary portion of most packs, and the only long-term members are the breeding pair. In contrast, captive packs often include members forced to remain together for many years (Rabb et al. 1967; Zimen 1982; Fentress et al. 1987).

Attempting to apply information about the behavior of assemblages of unrelated captive wolves to the familial structure of natural packs has resulted in considerable confusion. Such an approach is analogous to trying to draw inferences about human family dynamics by studying humans in refugee camps. The concept of the alpha wolf as a "top dog" ruling a group of similar-aged compatriots (Schenkel 1947; Rabb et al. 1967; Fox 1971*a*; Zimen 1975, 1982; Lockwood 1979; van Hooff et al. 1987) is particularly misleading.

Because wolves have been persecuted for so long (Young and Goldman 1944), they have been difficult to study in the wild (Mech 1974) and therefore information about the social interactions among free-living wolf pack members has accumulated slowly. Little is known about the interactions between breeding males and breeding females under natural conditions, and about the role of each in the pack and how dominance relates to these relationships.

A few people have observed the social behavior of wild wolves around dens, but Murie (1944) gave an anecdotal account, Clark (1971), in an unpublished thesis, presented only a quantified summary of the pack's hierarchical relationships, and Haber (1977) described his interpretation of a pack's social hierarchy but gave no supporting evidence. Thus, no one has yet quantified the hierarchical relationships in a wild wolf pack.

Here I attempt to clarify the natural wolf-pack social order and advance our knowledge of wolf-pack social dynamics by discussing the alpha concept and social dominance and by presenting information on the dominance relationships among members of free-living packs.

Methods

This study was conducted during the summers of 1986–1998 on Ellesmere Island, Northwest Territories, Canada (80°N, 86°W). There, wolves prey on arctic hares (*Lepus arcticus*), muskoxen (*Ovibos moschatus*), and Peary caribou (*Rangifer tarandus pearyi*), and live far enough from exploitation and persecution by humans that they are relatively unafraid of people (Mech 1988, 1995*a*). During 1986, I habituated a pack of wolves there to my presence and reinforced the habituation each summer. The pack frequented the same area each summer and usually used the same den or nearby dens. The habituation allowed me and an assistant to remain with the wolves daily, to recognize them individually, and to watch them regularly from as close as 1 m (Mech 1988, 1995*a*; National Geographic Society 1988).

We noted each time a wolf submitted posturally to another wolf. Usually this deference was characterized by "licking up" to the mouth of the dominant animal in the "active submission" posture (Fig. 5 in Schenkel 1967), similar to that described by Darwin (1877) for domestic dogs. Often this behavior took place as an animal returned to the den area after foraging, and sometimes the returning individual disgorged food to the soliciting wolf (Mech 1988; Mech et al. 1999). Other behavior noted included "pinning,"

or passive submission (Schenkel 1967), in which the dominant wolf threatened another, which then groveled, and "standing over," in which one wolf stands over another, which often lies nonchalantly but in a few cases sniffs the genitals of the other. I did not consider "standing over" a dominance behavior (L.D. Mech, submitted for publication).²

The following is a summary of generalizations documented in the references given above, together with new quantified findings.

Results and discussion

Alpha status

"Alpha" connotes top ranking in some kind of hierarchy, so an alpha wolf is, by definition, the top-ranking wolf. Because among wolves in captivity the hierarchies are genderbased, there are an alpha male and an alpha female (Schenkel 1947).

The way in which alpha status has been viewed historically can be seen in studies in which an attempt is made to distinguish future alphas in litters of captive wolf pups. For example, it was hypothesized that "the emotional reactivity of the dominant cub, the *potential* alpha animal (emphasis mine) of the pack, might be measurably different from the subordinate individuals," and that "it might then be possible to pick out the temperament characteristics or emotional reactivity of *potential alpha or leader wolves* (emphasis mine), and of subordinates" (Fox 1971b, p. 299). Furthermore, "Under normal field conditions, it seems improbable that timid, low ranking wolves would breed" (Fox 1971*a*, p. 307). This view implies that rank is innate or formed early, and that some wolves are destined to rule the pack, while others are not.

Contrary to this view, I propose that all young wolves are potential breeders and that when they do breed they automatically become alphas (Mech 1970). Even in captive packs, individuals gain or lose alpha status (Zimen 1976), so individual wolves do not have an inherent permanent social status, even though captive pups show physiological and behavioral differences related to current social rank (Fox 1971*b*; Fox and Andrews 1973). Secondly, wolves in captivity breed readily, and I know of no mature captive individuals that failed to breed when paired apart from a group, as would be the case if there were inherently low-ranking nonbreeders.

Third, in the wild, most wolves disperse from their natal packs and attempt to pair with other dispersed wolves, produce pups, and start their own packs (Rothman and Mech 1979; Fritts and Mech 1981; Messier 1985; Mech 1987; Gese and Mech 1991; Mech et al. 1998). I know of no permanent dispersers that failed to breed if they lived long enough.

Wolves do show considerable variation in dispersal age, distance, direction, and other dispersal behavior (see references above), and conceivably these are related to the intralitter variation discussed above (Fox 1971*b*; Fox and Andrews 1973). However, unless a maturing pack member inherits a position that allows it to breed with a stepparent in its own pack (Fritts and Mech 1981; Mech and Hertel 1983),

²L.D. Mech. "Standing over" and "hugging" in wild wolves. Submitted for publication.

sooner or later it will disperse and attempt to breed elsewhere.

Labeling a high-ranking wolf alpha emphasizes its rank in a dominance hierarchy. However, in natural wolf packs, the alpha male and female are merely the breeding animals, the parents of the pack, and dominance contests with other wolves are rare, if they exist at all. During my 13 summers observing the Ellesmere Island pack, I saw none.

Thus, calling a wolf an alpha is usually no more appropriate than referring to a human parent or a doe deer as an alpha. Any parent is dominant to its young offspring, so "alpha" adds no information. Why not refer to an alpha female as the female parent, the breeding female, the matriarch, or simply the mother? Such a designation emphasizes not the animal's dominant status, which is trivial information, but its role as pack progenitor, which is critical information.

The one use we may still want to reserve for "alpha" is in the relatively few large wolf packs comprised of multiple litters. Although the genetic relationships of the mothers in such packs remain unknown, probably the mothers include the original matriarch and one or more daughters, and the fathers are probably the patriarch and unrelated adoptees (Mech et al. 1998). In such cases the older breeders are probably dominant to the younger breeders and perhaps can more appropriately be called the alphas. Evidence for such a contention would be an older breeder consistently dominating food disposition or the travels of the pack.

The point here is not so much the terminology but what the terminology falsely implies: a rigid, force-based dominance hierarchy.

The degree to which these arguments apply to other species no doubt varies considerably and is beyond the scope of this article. However, it is notable that similar arguments might be made for African hunting dogs (*Lycaon pictus*), which ecologically are similar to wolves (Mech 1975). Whereas some workers observed no rank-order behavior in this species (Kuhme 1965; Estes and Goddard 1967), others liberally write of "alpha" animals (Creel and Creel 1996).

Dominance and submission among pack members

The concept, nature, and importance of the dominance hierarchy or pecking order (Schjelderup-Ebbe 1922) itself in many species are in dispute (summary in Wilson 1975). Similarly, in a natural wolf pack, dominance is not manifested as a pecking order and seems to have much less significance than the results of studies of captive packs had implied (Schenkel 1947, 1967; Rabb et al. 1967; Zimen 1975, 1982; Lockwood 1979). In a natural wolf pack, the dominance rules bear no resemblance to those of the pecking order, that of a group of similar individuals competing for rank.

The only consistent demonstration of rank in natural packs is the animals' postures during social interaction. Dominant wolves assume the classic canid standing posture with tail up at least horizontally, and subordinate or submissive individuals lower themselves and "cringe" (Darwin 1877). In fact, submission itself may be as important as dominance in terms of promoting friendly relations or reducing social distance.

Table 1. Dominance interactions, i.e., the number of times individual wolves dominated others or were submitted to, during summer between breeders in the Ellesmere Island wolf pack when no auxiliaries were present.

	Breeding	Breeding	Pups
Year	male	female	present?
1992	9	0	Yes
1996	21	0	Yes
1998	4	0	No

Note: Interactions were primarily active submissions, but three cases of passive submission are included (Schenkel 1967); they do not include "standing over" or interactions involving food, except for "food-begging."

Schenkel (1967), who promoted the importance of submission, recognized two main types, active and passive. He believed that active submission is derived from food-begging behavior, and I find active submission and food-begging indistinguishable. The begging or submissive wolf approaches another wolf excitedly, wagging the tail, lowering the ears, and "licking up" to the other wolf. The other wolf may or may not regurgitate food, depending on circumstances (Mech et al. 1999). In passive submission, the submissive wolf rolls over on its side or back and the dominant wolf sniffs its groin or genitals (Schenkel 1967). Active submission was more common in the Ellesmere Island pack.

In that pack, all members, including the breeding female, submitted posturally to the breeding male, both actively and passively (Schenkel 1967). The yearlings and 2-year-old wolves and one old post-reproductive female submitted to both breeders. These rules held regardless of pack composition: breeding pair or breeding pair with pups (Table 1); breeding pair with yearlings (Table 2); breeding pair with yearlings and pups (Table 3); breeding pair with pups and 2-year-old auxiliaries (Table 4), or breeding pair with pups and a post-reproductive female (Table 5).

That these submission rules promote friendly relations was demonstrated dramatically by an observation I made on 22 June 1991. A post-reproductive female returned to the den area with a very dried hare carcass, more an interesting distraction than food. Instead of bringing the dried hare directly to the pups, the old female went out of her way to take it submissively to the breeding male, which instantly snatched it from her. He refused entreaties by both that female and even the breeding female and chewed it himself for 20–30 min.

The only other general dominance rules I discerned involved scent-marking and food ownership and transfer. With scent-marking, both breeding male and female mark, but subordinates do not unless vying for dominance (Packard 1989; Asa et al. 1990), and I have seen no exceptions. Regarding food ownership and transfer, when the pack contained pups or yearlings, the breeding male I observed either regurgitated or dropped food to his mate or allowed her to snatch it from him or he delivered it directly to his offspring.

Aside from these food deliveries, there appeared to be an ownership zone (Mech 1970) around the mouth of each wolf, and regardless of the rank of a challenger, the owner tried to retain the its food it possessed, as Lockwood (1979) also found with captive wolves. Wolves of any rank could

Table 2. Dominance interactions, i.e., the number of times individual wolves dominated others or were submitted to, among breeders and yearlings in the Ellesmere Island wolf pack in 1993 (no pups were present, and parents were as shown in Table 1).

	Male parent	Female parent	Female yearling 1	Male yearling	Female yearling 2	Total
Male parent	_	0	0	0	0	0
Female parent	3		0	0	0	3
Yearling female 1	3	2	_	0	4	9
Yearling male	4	3	0		0	7
Yearling female 2	4	3	0	0	_	7
Yearling?	3	2	0	0	0	5
Total	17^{a}	10^a	0	0	4	31

Note: Interactions do not include "standing over" or involve food, except for "food-begging." ^{*a*}For male parent versus female parent, $\chi^2 = 0.94$, P = 0.33, df = 1.

Table 3. Dominance interactions, i.e., the number of times individual wolves dominated others or were submitted to, among breeders and yearlings in the Ellesmere Island wolf pack in 1988 (pups present and breeding male was the same, as in 1990–1996).

	Male parent	Female parent	Male yearling	Female yearling	Total
Male parent		0	0	0	0
Female parent	2		1	0	3
Male yearling	8^a	4	_	1	13
Female yearling	5^b	9	0	_	14
Total	15	13	1	1	30

Note: Interactions do not include "standing over" or involve food, except for "food-begging."

^aIncludes one short bout of five submissions

^bIncludes one short bout of four submissions.

Table 4. Dominance interactions, i.e., the number of times individual wolves dominated others or were submitted to, among breeders and 2-year-old wolves^a in the Ellesmere Island wolf pack in 1994 (pups were present, and parents were the same as is shown in Tables 1 and 2).

	Male	Female	Two-year-	Two-year-	
	parent	parent	old female	old male	Total
Male parent	_	0	0	0	0
Female parent	13	_	2^b	2	17
Two-year-old female	8	9	_	4	21
Two-year-old male	4	0	0	_	4
Total	25^c	9 ^c	2	6	42^{c}

Note: Interactions do not include "standing over" or involve food, except for "food-begging."

^aThese are the yearlings in Table 2.

^bThe female parent dominated the 2-year-old female for 15 min at one of these times. Another time, when it was unclear whether the female parent or 2-year-old female dominated, is not included.

For male parent versus female parent, $\chi^2 = 3.99$, P = 0.05.

try to steal food from another of any rank, but every wolf defended its food (Table 6). Generally, dominant wolves seemed to succeed more at stealing food, but the sample size was too small for a definite conclusion to be drawn.

Two other behaviors among pack members could have been dominance-related, although data were insufficient to be certain. They were "standing over" and "hugging" (L.D. Mech, see footnote 2). In "standing over," one wolf would stand over (Schenkel 1947) a lying wolf, positioning its groin above the nose of the lying wolf. Sometimes the lying wolf sniffed at the groin or genitals of the standing wolf.

Schenkel (1947) saw "standing over" only during "peaceful" times and did not seem to consider it dominancerelated. In the case of hugging, my sample size (5) was insufficient to determine whether it was dominance-related (L.D. Mech, see footnote 2).

The above dominance rules, which involve a natural agebased order with the current breeders at the top and offspring or nonbreeders subordinate, are so automatic that they are seldom contested. In this respect, the social interactions among members of natural wolf packs are much calmer and more peaceful than Schenkel (1947) and Zimen (1982) described for captive wolves, as Clark (1971) also noted. Similarly, pups defer to adults and older siblings in the same automatic, peaceful way. When or whether a rank order develops among pups is in dispute (cf. Zimen 1975 and Fox

Table 5. Dominance interactions, i.e., the number of times individual wolves dominated others or were submitted to, among breeders and a post-reproductive female in the Ellesmere Island wolf pack in the summers of 1990 and 1991 (pups were present and the male parent was the same as in all other years in the study except 1998).

	Male	Female	Post-reproductive		
	parent	parent ^a	female ^b	Total	
Male parent	_	1^c	0	0	
Female parent ^a	35	_	1	36	
Post-reproductive female ^b	26	17		43	
Total	61	18	1	80^d	

Note: Interactions do not include "standing over" or involve food, except for "food-begging."

^aYearling female in 1988 (Table 1) and female parent in 1990–1996.

^bFemale parent in 1988 and 1989 (Table 1).

^cMale deferred when approaching a female and young pups in a den.

 $^{d}\chi^{2} = 12.64, P < 0.001, df = 1.$

Table 6. Observed attempts to defend food from packmates^a in the Ellesmere Island wolf pack.

Date	Possessor of food Challenger		Result
1988-06-26	Pups/yearling female ^b	Breeding female	Succeeded
1988-07-01	Yearling female	Breeding female	Succeeded
	Pup ^c	Yearling male	Failed
1988-07-05	Yearling female	Breeding female	Succeeded
1988-07-27	Yearling female	Yearling male	Failed
	Breeding male	Yearling female	Failed
	Breeding male	Yearling male	Succeeded
1990-08-05	Breeding male	Post-reproductive female	Failed
1991-06-22	Post-reproductive female	Breeding male	Succeeded
1993-07-11	Yearling female	Yearling female	Failed
1994-07-16	Pups and yearling male	Yearling female	Failed
1996-07-15	Pups/breeding female	Breeding male ^d	Succeeded
1998-07-07	Breeding female	Breeding male	Failed

^aDoes not include the breeding female taking food from the breeding male.

^bYearling female had brought food to the pups and snapped at the breeding female when she stole it.

'Yearling female, who had brought a hare, stood guard near the pup.

^dBreeding female failed to stop the breeding male.

and Andrews 1973; Haber 1977), and I cannot shed any light on that issue. Even among yearlings and 2-year-olds there were few rank displays (Tables 2–5).

It is conceivable that social tensions would mount during the breeding season (Schenkel 1947), but the fact that most natural packs contain only a single breeding pair would preclude such tension. The earliest age at which wild wolves are known to breed is 22 months (Seal et al. 1979), and some individuals are not sexually mature until they are at least 4 years old (Haber 1977; Mech and Seal 1987). Because most wolves disperse before 2 years of age, and almost all before 3 years of age (Mech 1987; Gese and Mech 1991; Mech et al. 1998), there would be no source of sexual competition within most packs.

Thus, only in the relatively few packs with multiple breeders might there be intense rivalries such as those Haber (1977) reported during the breeding season in his unusual pack. On the other hand, at least some of the difference in reported "hostility" might be due to different viewpoints of the observers. I occasionally saw intense "pinning" of a 2-year-old female by her mother in summer 1994 that some might label "hostile." However, to me this behavior appeared to be merely the type of interaction I observed between the mother and an errant pup she could not control. In any case, these types of interaction were uncommon during my study.

As for high-ranking animals asserting any practical control over subordinates, the nature of the interaction is highly conditional. For example, with large prey such as adult moose (*Alces alces*), pack members of all ranks (ages) gather around a carcass and feed simultaneously, with no rank privilege apparent (Mech 1966; Haber 1977); however, if the prey is smaller, like a muskox calf, dominant animals (breeders) may feed first and control when subordinates feed (Mech 1988; National Geographic 1988).

Similarly, pups are subordinate to both parents and to older siblings, yet they are fed preferentially by the parents, and even by their older (dominant) siblings (Mech et al. 1999). On the other hand, parents both dominate older offspring and restrict their food intake when food is scarce, feeding pups instead. Thus, the most practical effect of social dominance is to allow the dominant individual the choice of to whom to allot food.

The only other rank privilege I am aware of in natural situations is that high-ranking pups are more assertive in

competing for food deliveries by adults and sometimes accompany adults on foraging trips at an earlier age than do subordinates (Haber 1977).

Dominance between the breeding male and female

The relationship between the breeding male and female is complex and bears further research. With captive packs there are contradictory claims regarding the dominance roles of "alpha males" and "alpha females" in relation to each other and to subordinates. This issue also relates closely to the concept of leadership but is not necessarily the same (L.D. Mech, submitted for publication).³

Whether each gender has its own dominance hierarchy has been the subject of disagreement. As van Hooff et al. (1987, p. 248) also noted, Schenkel (1947) and Zimen (1982) claimed that in captive wolves each gender has a separate hierarchy. However, in studies of wild wolves, the results tend to disagree. Clark's (1971) data indicated that the breeding male dominated all other wolves and the breeding female dominated all but the breeding male. Haber (1977, p. 203) claimed that in the wild wolves he studied, males generally dominated, "with only a few exceptions." My data agree in that breeding males dominate posturally insofar as only once have I seen the breeding male defer posturally to the female (Tables 1–5).

The disagreement about the relationships between breeding males and females probably results from the great differences in pack composition and backgrounds between captive and natural packs discussed earlier. Thus, it is useful to describe typical interactions between the breeding male and breeding female in natural packs, as these interactions have not been described before.

When the breeding male and breeding female are separated, recognize each other, and then meet, the breeding female approaches the male in a typical subordinate posture: with the tail down or between the legs, body crouched or on the ground, ears back, and nose pointed up, and licking the male's mouth (Schenkel 1947). The male stands there nonchalantly, sometimes raising his tail horizontally.

During summers when the pack I observed had pups or yearlings, such a meeting most often took place near them, as the male was returning from foraging. His response to the female's greeting was to drop whatever food item was in his mouth and (or) to regurgitate (Mech et al. 1999). The female then ate the food or gave it to the offspring. I could not distinguish greetings such as this that resulted in regurgitation from those that did not.

In 1998, when the breeding pair had no offspring, the four meetings of pair members that I observed each took place immediately after the female had been temporarily foraging separately or had been separately caching food from a kill. Each time the female returned to her mate, she assumed the active–submissive posture when she met the male, and one of these times she submitted profusely for about 90 s. Even once when the breeding female was intently chasing another wolf and was overtaken by her mate (17 June 1991), she submitted momentarily as the male passed her. It seems reaThe practical implications of this postural submissiveness, however, are not apparent. The behavior does not seem always to constitute food-begging. For example, during one 1998 meeting, the female postured toward the male as described above while she possessed a long bone from which she had just eaten much. The male, which had not fed for at least several hours, attempted to take the bone. However, the female snapped defensively at him and successfully retained the bone despite repeated attempts by the male over a 1-h period to steal it.

Even if the breeding female's active submission to her mate was really food-begging instead of subordination, one must still contend with the fact that sometimes the breeding female passively submits (Schenkel 1967) to the male. I observed this three times on Ellesmere Island (Table 1), but I never saw the breeding male passively submit to the female. Because passive submission seems to have nothing to do with food-begging, these observations seem to be clear evidence of subordination.

In attacks on prey, including both calf and adult muskoxen, the breeding male and female appear to be equally involved, and they feed together side by side even though at times they keep yearlings away. The two breeders also hunt hares together, although on hunts that also involve yearlings, the breeding male seems more persistent than the female (Mech 1995b).

Both breeding male and breeding female scent-mark, and either can initiate double-marking (Haber 1977; Rothman and Mech 1979), depending on which is ahead during a particular moment of travel. For example, on 16 July 1993, during 4 km of travel, the Ellesmere Island breeding pair double-scent-marked three times; the male initiated two of them. Both male and female raise a hind leg during urinemarking, although the male raises his higher, possibly in keeping with his anatomy; both sometimes scratch the ground in association with marking.

During the early phases of pup care, the breeding pair shows a definite division of labor, with the female attending the den area and nursing the pups (Packard et al. 1992) and the male hunting away from the den and bringing food back to the female and the pups (Mech et al. 1999).

The male shows a strong imperative to relinquish food to the breeding female. For example, on 8 July 1992, when the Ellesmere male and female were equidistant from me in opposite directions, I threw the male an adult hare carcass weighing about 5 kg. The male grabbed it, but instantly the female rushed to him, snatched it from his mouth, and took it to the den. The male made no attempt to keep or regain the hare. I then gave the male a second hare of the same size. He ate the head and then took the rest of the carcass 0.5 km to the female and gave it to her. She cached it. Similar tests with smaller pieces yielded similar results.

Nevertheless, in keeping other pack members away from young pups, the breeding female seems to reign supreme, especially when the pups are less than 3 weeks old. In the Ellesmere Island pack, it was common for the breeding

1201

³L.D. Mech. Leadership in wolf, *Canis lupus*, packs. Submitted for publication.

female to rush to the young pups whenever the breeding male or any other wolf began to approach them.

Furthermore, the breeding male defers posturally when he approaches the breeding female tending young pups. On 26 June 1990, I observed the breeding male walk toward the female in the den "excitedly wagging his tail and body." Similarly, on 18 May 1990 in Denali Park, Alaska, I observed radio-collared breeding male 251 in the Headquarters Pack (Mech et al. 1998) approach breeding female 307 when she was in a den with pups and begin to "wiggle walk," waving his back end and tail like a subordinate approaching a dominant. The female emerged from the den and the male then regurgitated to her. These were the only times I have ever seen a breeding male act submissively toward any other wolf, and it seems to indicate that the breeding female is temporarily dominant to even the breeding male before the pups emerge from the den.

The breeding female tends and protects the pups more than any other pack member. For example, mothers were the only pack members I ever saw picking up pups and carrying them. Furthermore, on one occasion I observed the breeding female of the Ellesmere Island pack being most aggressive against a muskox that stood at the den entrance (L.D. Mech, see footnote 3). This agrees with Joslin's (1966) and Clark's (1971) observations. On the other hand, Murie (1944) reported that it was the breeding male which most aggressively chased grizzly bears (*Ursus arctos*) from around a den of pups.

Conclusions

The above observations show that, at least in summer, social interactions among wolf-pack members are not very different in intensity or quality from those among members of any other group of related individuals. Even the much-touted wolf dominance hierarchy is primarily a natural reflection of the age, sex, and reproductive structure of the group, with the breeding male dominating all others posturally and the breeding female garnering food from the male while she is tending young pups.

The typical wolf pack, then, should be viewed as a family with the adult parents guiding the activities of the group and sharing group leadership in a division-of-labor system in which the female predominates primarily in such activities as pup care and defense and the male primarily during foraging and food-provisioning and the travels associated with them (L.D. Mech, see footnote 3).

Dominance displays are uncommon except during competition for food. Then they allow parents to monopolize food and allocate it to their youngest offspring. Active submission appears to be primarily a food-begging gesture or a foodgathering motivator (Mech 1970). The role of active and passive submission in interactions between the breeding male and female when no offspring are present needs further exploration.

Acknowledgements

This project was supported by the National Geographic Society, the United States (U.S.) Fish and Wildlife Service, U.S. National Biological Service (now the Biological Resources Division of the U.S. Geological Survey), and the U.S. Department of Agriculture North Central Forest Experiment Station. The logistical help of the Polar Continental Shelf Project (PCSP), Natural Resources Canada; Atmospheric Environment Services, Environment Canada; and High Arctic International is also greatly appreciated. Permits were granted by the Department of Renewable Resources and the Grise Fiord Hunter and Trapper Association of the Northwest Territories. The logistical help of the following field assistants is gratefully acknowledged: L. Adams, L. Boitani, D. Boyd, N. Gedgaudes, C. Johnson, J. Hutchinson, N. Gibson, T. Lebovsky, M. Maule, M. Ortiz, J. Packard, R. Peterson, R. Ream, L. Shaffer, R. Sternal, and U. Swain. I also thank R.O. Peterson for critiquing an earlier draft of the manuscript and suggesting improvements. This is PCSP Paper 003298.

References

- Asa, C.S., Mech, L.D., Seal, U.S., and Plotka, E.D. 1990. The influence of social and endocrine factors on urine-marking by captive wolves (*Canis lupus*). Horm. Behav. 24: 497–509.
- Clark, K.R.F. 1971. Food habits and behavior of the tundra wolf on central Baffin island. Ph.D. thesis, University of Toronto. Toronto, Ont. [Available from the National Library of Canada, Ottawa, Ont.]
- Creel, S., and Creel, N.M. 1996. Rank and reproduction in cooperatively breeding African wild dogs: behavioral and endocrine correlates. Behav. Ecol. 8: 298–306.
- Darwin, C. 1877. The expressions of the emotions in man and animals. Translated by J.V. Carus. 3rd ed. Stuttgart, Germany.
- Estes, R.D., and Goddard, J. 1967. Prey selection and hunting behavior of the African wild dog. J. Wildl. Manage. 31: 52–70.
- Fentress, J.C., Ryon, J., McLeod, P.J., and Havkin, G.Z. 1987. A multidimensional approach to agonistic behavior in wolves. *In* Man and wolf: advances, issues, and problems in captive wolf research. *Edited by* H. Frank. Dr. W. Junk Publishers, Boston, pp. 253–274.
- Fox, M.W. 1971a. Ontogeny of socio-infantile and socio-sexual signals in canids. Z. Tierpsychol. 28: 185–210.
- Fox, M.W. 1971b. Socio-ecological implications of individual differences in wolf litters: a developmental and evolutionary perspective. Behaviour, 41: 298–313.
- Fox, M.W., and Andrews, R.V. 1973. Physiological and biochemical correlates of individual differences in behavior of wolf cubs. Behaviour, 46: 129–140.
- Fritts, S.H., and Mech, L.D. 1981. Dynamics, movements, and feeding ecology of a newly protected wolf population in northwestern Minnesota. Wildl. Monogr. No. 80.
- Fuller, T.K. 1989. Population dynamics of wolves in north-central Minnesota. Wildl. Monogr. No. 105.
- Gese, E.M., and Mech, L.D. 1991. Dispersal of wolves (*Canis lupus*) in northeastern Minnesota, 1969–1989. Can. J. Zool. 69: 2946–2955.
- Haber, G.C. 1977. Socio-ecological dynamics of wolves and prey in a subarctic ecosystem. Ph.D. thesis, University of British Columbia. Vancouver.
- Joslin, P.W.B. 1966. Summer activities of two timber wolf (*Canis lupus*) packs in Algonquin Park. M.Sc. thesis, University of Toronto, Toronto, Ont.
- Kuhme, W. 1965. Freilandstudien zur Soziologie des Hyanesnhundes. Z. Tierpsych. 22: 495–541.
- Lehman, N.E., Clarkson, P., Mech, L.D., Meier, T.J., and Wayne, R.K. 1992. A study of the genetic relationships within and

among wolf packs using DNA fingerprinting and mitochondrial DNA. Behav. Ecol. Sociobiol. **30**: 83–94.

- Lockwood, R. 1979. Dominance in wolves—useful construct or bad habit. *In* Symposium on the Behavior and Ecology of Wolves. *Edited by* E. Klinghammer. Garland STPM Press, New York, pp. 225–245.
- Mech, L.D. 1966. The wolves of Isle Royale. National Park Service Fauna Ser. No. 7, Washington, D.C.
- Mech, L.D. 1970. The wolf: the ecology and behavior of an endangered species. Doubleday Publishing Co., New York.
- Mech, L.D. 1974. Current techniques in the study of elusive wilderness carnivores. *In* Proceedings of XIth International Congress of Game Biologists, Stockholm, Sweden, 3–7 September 1973. *Edited by* I. Kjerner and P. Bjurholm. Swedish National Environment Protection Board, Stockholm. pp. 315–322.
- Mech, L.D. 1975. Hunting behavior in two similar species of social canids. *In* The wild canids. *Edited by* M.W. Fox. Van Nostrand Reinhold Co., New York. pp. 363–368.
- Mech, L.D. 1987. Age, season, distance, direction, and social aspects of wolf dispersal from a Minnesota pack. *In* Mammalian dispersal patterns. *Edited by* B.D. Chepko-Sade and Z.T. Halpin. University of Chicago Press, Chicago. pp. 55–74.
- Mech, L.D. 1988. The arctic wolf: living with the pack. Voyageur Press, Stillwater, Minn.
- Mech, L.D. 1995a. A ten-year history of the demography and productivity of an arctic wolf pack. Arctic, 48: 329–332.
- Mech, L.D. 1995b. Summer movements and behavior of an arctic wolf, *Canis lupus*, pack without pups. Can. Field-Nat. 109: 473–475.
- Mech, L.D., and Hertel, H.H. 1983. An eight year demography of a Minnesota wolf pack. Acta Zool. Fenn. 174: 249–250.
- Mech, L.D., and Nelson, M.E. 1990. Non-family wolf, *Canis lupus*, packs. Can. Field-Nat. **104**: 482–483.
- Mech, L.D., and Seal, U.S. 1987. Premature reproductive activity in wild wolves. J. Mammal. 68: 871–873.
- Mech, L.D., Adams, L.G., Meier, T.J., Burch, J.W., and Dale, B.W. 1998. The wolves of Denali. University of Minnesota Press, Minneapolis.
- Mech, L.D., Wolf, P.C., and Packard, J.M. 1999. Regurgitative food transfer among wild wolves. Can. J. Zool. 77: 1192–1195.
- Messier, F. 1985. Solitary living and extra-territorial movements of wolves in relation to social status and prey abundance. Can. J. Zool. 63: 239–245.
- Murie, A. 1944. The wolves of Mount McKinley. U.S. National Park Service Fauna Ser. No. 5, Washington, D.C.
- National Geographic Society. 1988. White wolf. National Geo-

graphic Explorer video. National Geographic Society, Washington, D.C.

- Packard, J.M. 1989. Olfaction, ovulation, and sexual competition in monogamous mammals. *In* Neural control of reproductive function. *Edited by* J. Lakoski, J. Perez-Polo, and D.K. Rassin. Alan R. Liss, Inc., New York. pp. 525–543.
- Packard, J.M., Mech, L.D., and Ream, R.R. 1992. Weaning in an arctic wolf pack: behavioral mechanisms. Can. J. Zool. 70: 1269–1275.
- Peterson, R.O. 1977. Wolf ecology and prey relationships on Isle Royale. U.S. National Park Service Sci. Monogr. Ser. 11, Washington, D.C.
- Peterson, R.O., Woolington, J.D., and Bailey, T.N. 1984. Wolves of the Kenai Peninsula, Alaska. Wildl. Monogr. No. 88.
- Rabb, G.B., Woolpy, J.H., and Ginsburg, B.E. 1967. Social relationships in a group of captive wolves. Am. Zool. 7: 305–311.
- Rothman, R.J., and Mech, L.D. 1979. Scent-marking in lone wolves and newly formed pairs. Anim. Behav. 27: 750–760.
- Schenkel, R. 1947. Expression studies of wolves. Behaviour, 1: 81–129.
- Schenkel, R. 1967. Submission: its features and function of the wolf and dog. Am. Zool. 7: 319–329.
- Schjelderup-Ebbe, T. 1922. Beitrage zur Sozialpsychologie des Haushuhns. Z. Psychol. 88: 225–252.
- Seal, U.S., Plotka, E.D., Packard, J.M., and Mech, L.D. 1979. Endocrine correlates of reproduction in the wolf. Biol. Reprod. 21: 1057–1066.
- Van Ballenberghe, V. 1983. Extraterritorial movements and dispersal of wolves in southcentral Alaska. J. Mammal. 64: 168–171.
- van Hooff, J.A.R.A.M., and Wensing, J.A.B. 1987. Dominance and its behavioral measures in a captive wolf pack. *In* Man and wolf: advances, issues, and problems in captive wolf research. *Edited* by H. Frank. Dr. W. Junk Publishers, Boston. pp. 219–252.
- Wilson, E.O. 1975. Sociobiology. Belknap Press of Harvard University Press, Cambridge, Mass.
- Young, S.P., and Goldman, E.A. 1944. The wolves of North America: Part 1. General Publishing Company, Ltd., Toronto, Ont.
- Zimen, E. 1975. Social dynamics of the wolf pack. *In* The wild canids: their systematics, behavioral ecology and evolution. *Edited by* M.W. Fox. Van Nostrand Reinhold Co., New York. pp. 336–368.
- Zimen, E. 1976. On the regulation of pack size in wolves. Z. Tierpsychol. **40**: 300–341.
- Zimen, E. 1982. A wolf pack sociogram. *In* Wolves of the world. *Edited by* F.H. Harrington and P.C. Paquet. Noyes Publishers, Park Ridge, N.J. pp. 282–322.

This article has been cited by:

- 1. Hossein Rezaei, Omid Bozorg-Haddad, Xuefeng Chu. Grey Wolf Optimization (GWO) Algorithm 81-91. [Crossref]
- 2. Marc Hurwitz. Exploring Distributed Leadership: A Leader-Follower Collaborative Lens 1-25. [Crossref]
- 3. Daniela Sánchez, Patricia Melin, Oscar Castillo. 125, 285. [Crossref]
- 4. Petr Rezac, Eva Koru, Zdenek Havlicek, Dagmar Pospisilova. 2017. Factors affecting dog jumping on people. *Applied Animal Behaviour Science* 197, 40-44. [Crossref]
- 5. Jessica A. Rick, Ron A. Moen, John D. Erb, Jared L. Strasburg. 2017. Population structure and gene flow in a newly harvested gray wolf (Canis lupus) population. *Conservation Genetics* 18:5, 1091-1104. [Crossref]
- 6. Rachel Dale, Friederike Range, Laura Stott, Kurt Kotrschal, Sarah Marshall-Pescini. 2017. The influence of social relationship on food tolerance in wolves and dogs. *Behavioral Ecology and Sociobiology* **71**:7. . [Crossref]
- 7. Jennifer L. Essler, Sarah Marshall-Pescini, Friederike Range. 2017. Domestication Does Not Explain the Presence of Inequity Aversion in Dogs. *Current Biology* 27:12, 1861-1865.e3. [Crossref]
- 8. Roberto Bonanni, Simona Cafazzo, Arianna Abis, Emanuela Barillari, Paola Valsecchi, Eugenia Natoli. 2017. Age-graded dominance hierarchies and social tolerance in packs of free-ranging dogs. *Behavioral Ecology*. [Crossref]
- 9. Kira A. Cassidy, L. David Mech, Daniel R. MacNulty, Daniel R. Stahler, Douglas W. Smith. 2017. Sexually dimorphic aggression indicates male gray wolves specialize in pack defense against conspecific groups. *Behavioural Processes* 136, 64-72. [Crossref]
- 10. Marwa Sharawi, Eid Emary. Impact of grey wolf optimization on WSN cluster formation and lifetime expansion 157-162. [Crossref]
- 11. Charlyn Partridge. Alpha, Beta, and Gamma Males 1-3. [Crossref]
- 12. Anne Böckler, Anna Wilkinson, Ludwig Huber, Natalie Sebanz. Social Coordination 478-494. [Crossref]
- 13. Ruan de Bruin, Andre Ganswindt, Aliza le Roux. 2016. From killer to carer: steroid hormones and paternal behaviour. *African Zoology* **51**:4, 173-182. [Crossref]
- 14. Sarah Hohenbrink, Frank Schaarschmidt, Katharina Bünemann, Svenja Gerberding, Elke Zimmermann, Ute Radespiel. 2016. Female dominance in two basal primates, Microcebus murinus and Microcebus lehilahytsara: variation and determinants. *Animal Behaviour* 122, 145-156. [Crossref]
- 15. Ibrahim A. Hameed, Robin T. Bye, Ottar L. Osen. Grey wolf optimizer (GWO) for automated offshore crane design 1-6. [Crossref]
- 16. Natalia Sastre, Olga Francino, Joseph N. Curti, Tiffany C. Armenta, Devaughn L. Fraser, Rochelle M. Kelly, Erin Hunt, Katja Silbermayr, Christine Zewe, Armand Sánchez, Lluís Ferrer. 2016. Detection, Prevalence and Phylogenetic Relationships of Demodex spp and further Skin Prostigmata Mites (Acari, Arachnida) in Wild and Domestic Mammals. PLOS ONE 11:11, e0165765. [Crossref]
- 17. Seema, Vijay Kumar. Modified Grey Wolf Algorithm for optimization problems 1-5. [Crossref]
- Barbara Smuts, Aaron A. Sandel, Rebecca K. Trisko. 2016. Affiliation, dominance and friendship among companion dogs. Behaviour 153:6-7, 693-725. [Crossref]
- Elisabetta Palagi, Giada Cordoni. 2016. Aggression and hierarchical steepness inhibit social play in adult wolves. *Behaviour* 153:6-7, 749-766. [Crossref]
- Vikram Kumar Kamboj, S. K. Bath, J. S. Dhillon. 2016. Solution of non-convex economic load dispatch problem using Grey Wolf Optimizer. *Neural Computing and Applications* 27:5, 1301-1316. [Crossref]
- 21. Orlandrew E. Danzell, Lisandra M. Maisonet Montañez. 2016. Understanding the lone wolf terror phenomena: assessing current profiles. *Behavioral Sciences of Terrorism and Political Aggression* **8**:2, 135-159. [Crossref]
- 22. Jeremy S. Morris, David R. Carrier. 2016. Sexual selection on skeletal shape in Carnivora. Evolution 70:4, 767-780. [Crossref]
- John W.S. Bradshaw, Emily-Jayne Blackwell, Rachel A. Casey. 2016. Dominance in domestic dogs—A response to Schilder et al. (2014). *Journal of Veterinary Behavior: Clinical Applications and Research* 11, 102-108. [Crossref]
- 24. Simona Cafazzo, Martina Lazzaroni, Sarah Marshall-Pescini. 2016. Dominance relationships in a family pack of captive arctic wolves (Canis lupus arctos): the influence of competition for food, age and sex. *PeerJ* 4, e2707. [Crossref]
- 25. Shekhar Yadav, Santosh Kumar Verma, Shyam Krishna Nagar. Design of an optimized PID controller for non-minimum phase system with delay 1-4. [Crossref]
- 26. Michał Piotr Pręgowski. 2015. Your Dog is Your Teacher: Contemporary Dog Training Beyond Radical Behaviorism. Society & Animals 23:6, 525-543. [Crossref]

- Giada Cordoni, Elisabetta Palagi. 2015. Being a victim or an aggressor: Different functions of triadic post-conflict interactions in wolves (Canis lupus lupus). Aggressive Behavior 41:6, 526-536. [Crossref]
- 28. Anna Bálint, Tamás Faragó, Zemihn Meike, Rita Lenkei, Ádám Miklósi, Péter Pongrácz. 2015. "Do not choose as I do!" Dogs avoid the food that is indicated by another dog's gaze in a two-object choice task. *Applied Animal Behaviour Science* 170, 44-53. [Crossref]
- Joanne A. M. van der Borg, Matthijs B. H. Schilder, Claudia M. Vinke, Han de Vries. 2015. Dominance in Domestic Dogs: A Quantitative Analysis of Its Behavioural Measures. PLOS ONE 10:8, e0133978. [Crossref]
- Attia A. El-Fergany, Hany M. Hasanien. 2015. Single and Multi-objective Optimal Power Flow Using Grey Wolf Optimizer and Differential Evolution Algorithms. *Electric Power Components and Systems* 43:13, 1548-1559. [Crossref]
- 31. Bridget L. Borg, Scott M. Brainerd, Thomas J. Meier, Laura R. Prugh. 2015. Impacts of breeder loss on social structure, reproduction and population growth in a social canid. *Journal of Animal Ecology* 84:1, 177-187. [Crossref]
- 32. M. Meuret, F.D. Provenza. 2015. When Art and Science Meet: Integrating Knowledge of French Herders with Science of Foraging Behavior. *Rangeland Ecology & Management* 68:1, 1-17. [Crossref]
- 33. Ana Larrañaga, Concha Bielza, Péter Pongrácz, Tamás Faragó, Anna Bálint, Pedro Larrañaga. 2015. Comparing supervised learning methods for classifying sex, age, context and individual Mudi dogs from barking. *Animal Cognition* 18:2, 405. [Crossref]
- 34. Carly A. York, Bruce A. Schulte. 2014. The relationship of dominance, reproductive state and stress in female horses (Equus caballus). *Behavioural Processes* 107, 15-21. [Crossref]
- 35. Matthijs B.H. Schilder, Claudia M. Vinke, Joanne A.M. van der Borg. 2014. Dominance in domestic dogs revisited: Useful habit and useful construct?. *Journal of Veterinary Behavior: Clinical Applications and Research* **9**:4, 184-191. [Crossref]
- T. V. Maslova. 2014. UD-statistics and stratification in different social spheres: Hierarchy in animal social groups. *Mathematical Notes* 96:1-2, 301-303. [Crossref]
- Robert J. Losey, Erin Jessup, Tatiana Nomokonova, Mikhail Sablin. 2014. Craniomandibular Trauma and Tooth Loss in Northern Dogs and Wolves: Implications for the Archaeological Study of Dog Husbandry and Domestication. *PLoS ONE* 9:6, e99746. [Crossref]
- 38. Simona Cafazzo, Roberto Bonanni, Paola Valsecchi, Eugenia Natoli. 2014. Social Variables Affecting Mate Preferences, Copulation and Reproductive Outcome in a Pack of Free-Ranging Dogs. *PLoS ONE* **9**:6, e98594. [Crossref]
- Seyedali Mirjalili, Seyed Mohammad Mirjalili, Andrew Lewis. 2014. Grey Wolf Optimizer. Advances in Engineering Software 69, 46-61. [Crossref]
- 40. Barbara Klausz, Anna Kis, Eszter Persa, Ádám Miklósi, Márta Gácsi. 2014. A quick assessment tool for human-directed aggression in pet dogs. *Aggressive Behavior* 40:2, 178-188. [Crossref]
- Jeremy S. Morris, Ellissa K. Brandt. 2014. Specialization for aggression in sexually dimorphic skeletal morphology in grey wolves (Canis lupus). *Journal of Anatomy* 225:1, 1. [Crossref]
- 42. Roberto Bonanni, Simona Cafazzo. The Social Organisation of a Population of Free-Ranging Dogs in a Suburban Area of Rome 65-104. [Crossref]
- 43. Zsófia Virányi, Friederike Range. On the Way to a Better Understanding of Dog Domestication 35-62. [Crossref]
- 44. Martin Surbeck, Gottfried Hohmann. 2013. Intersexual dominance relationships and the influence of leverage on the outcome of conflicts in wild bonobos (Pan paniscus). *Behavioral Ecology and Sociobiology* 67:11, 1767-1780. [Crossref]
- 45. Joseph Hinton, Michael Chamberlain, David Rabon. 2013. Red Wolf (Canis rufus) Recovery: A Review with Suggestions for Future Research. *Animals* 3:3, 722-744. [Crossref]
- 46. Lynne B. Gilbert-Norton, Ryan R. Wilson, John A. Shivik. 2013. The Effect of Social Hierarchy on Captive Coyote (Canis latrans) Foraging Behavior. *Ethology* 119:4, 335-343. [Crossref]
- 47. Elizabeth S. Calkins, Todd K. Fuller, Cheryl S. Asa, Paul R. Sievert, Timothy J. Coonan. 2013. Factors influencing reproductive success and litter size in captive island foxes. *The Journal of Wildlife Management* 77:2, 346-351. [Crossref]
- Ida Bailey, Julia P. Myatt, Alan M. Wilson. 2013. Group hunting within the Carnivora: physiological, cognitive and environmental influences on strategy and cooperation. *Behavioral Ecology and Sociobiology* 67:1, 1-17. [Crossref]
- Franziska Kuhne, Johanna C. Hößler, Rainer Struwe. 2012. Effects of human–dog familiarity on dogs' behavioural responses to petting. *Applied Animal Behaviour Science* 142:3-4, 176-181. [Crossref]
- Simona Cafazzo, Eugenia Natoli, Paola Valsecchi. 2012. Scent-Marking Behaviour in a Pack of Free-Ranging Domestic Dogs. Ethology 118:10, 955-966. [Crossref]

- Jonathan J. Derbridge, Paul R. Krausman, Chris T. Darimont. 2012. Using Bayesian stable isotope mixing models to estimate wolf diet in a multi-prey ecosystem. *The Journal of Wildlife Management* 76:6, 1277-1289. [Crossref]
- 52. Friederike Range, Karin Leitner, Zsófia Virányi. 2012. The Influence of the Relationship and Motivation on Inequity Aversion in Dogs. *Social Justice Research* 25:2, 170-194. [Crossref]
- 53. Paul D. McGreevy, Melissa Starling, N.J. Branson, Mia L. Cobb, Debbie Calnon. 2012. An overview of the dog-human dyad and ethograms within it. *Journal of Veterinary Behavior: Clinical Applications and Research* 7:2, 103-117. [Crossref]
- 54. Daniel Crescenzo. 2012. The Problem of Predator-Prey Relations and Predator Flourishing in Nussbaum's Capabilities Approach to Justice. *Environmental Ethics* 34:2, 177-197. [Crossref]
- 55. Trevor van Gorp, Edie Adams. What is Emotion? 19-50. [Crossref]
- 56. ELI GEFFEN, MICHAEL KAM, REUVEN HEFNER, PALL HERSTEINSSON, ANDERS ANGERBJÖRN, LOVE DALÈN, EVA FUGLEI, KARIN NORÈN, JENNIFER R. ADAMS, JOHN VUCETICH, THOMAS J. MEIER, L. D. MECH, BRIDGETT M. VonHOLDT, DANIEL R. STAHLER, ROBERT K. WAYNE. 2011. Kin encounter rate and inbreeding avoidance in canids. *Molecular Ecology* 20:24, 5348-5358. [Crossref]
- 57. Susan M. Jenks. 2011. A Longitudinal Study of the Sociosexual Dynamics in a Captive Family Group of Wolves: The University of Connecticut Wolf Project. *Behavior Genetics* 41:6, 810-829. [Crossref]
- C. Muro, R. Escobedo, L. Spector, R.P. Coppinger. 2011. Wolf-pack (Canis lupus) hunting strategies emerge from simple rules in computational simulations. *Behavioural Processes* 88:3, 192-197. [Crossref]
- 59. L. DAVID MECH. 2010. Considerations for Developing Wolf Harvesting Regulations in the Contiguous United States. *The Journal of Wildlife Management* 74:7, 1421-1424. [Crossref]
- 60. Roberto Bonanni, Paola Valsecchi, Eugenia Natoli. 2010. Pattern of individual participation and cheating in conflicts between groups of free-ranging dogs. *Animal Behaviour* **79**:4, 957-968. [Crossref]
- 61. Simona Cafazzo, Paola Valsecchi, Roberto Bonanni, Eugenia Natoli. 2010. Dominance in relation to age, sex, and competitive contexts in a group of free-ranging domestic dogs. *Behavioral Ecology* **21**:3, 443-455. [Crossref]
- 62. Steve Moxon. 2009. Dominance as adaptive stressing and ranking of males, serving to allocate reproduction by differential self-suppressed fertility: Towards a fully biological understanding of social systems. *Medical Hypotheses* **73**:1, 5-14. [Crossref]
- 63. John W.S. Bradshaw, Emily J. Blackwell, Rachel A. Casey. 2009. Dominance in domestic dogs—useful construct or bad habit?. Journal of Veterinary Behavior: Clinical Applications and Research 4:3, 135-144. [Crossref]
- 64. Isabel Barja. 2009. Decision making in plant selection during the faecal-marking behaviour of wild wolves. *Animal Behaviour* 77:2, 489-493. [Crossref]
- 65. Jaume Fatjó, Dorit Feddersen-Petersen, José Luís. Ruiz de la Torre, Marta Amat, Monique Mets, Barbara Braus, Xavier Manteca. 2007. Ambivalent signals during agonistic interactions in a captive wolf pack. *Applied Animal Behaviour Science* 105:4, 274-283. [Crossref]
- 66. Erika B. Bauer, Barbara B. Smuts. 2007. Cooperation and competition during dyadic play in domestic dogs, Canis familiaris. *Animal Behaviour* **73**:3, 489-499. [Crossref]
- 67. Jeffrey Braithwaite, Johanna I Westbrook, Rick A Ledema. 2007. Health care participants' dualism: are new sub-species evolving?. *Journal of the Royal Society of Medicine* 100:2, 78-80. [Crossref]
- Håkan Sand, Camilla Wikenros, Petter Wabakken, Olof Liberg. 2006. Effects of hunting group size, snow depth and age on the success of wolves hunting moose. *Animal Behaviour* 72:4, 781-789. [Crossref]
- 69. Nicolas Lescureux. 2006. Towards the necessity of a new interactive approach integrating ethnology, ecology and ethology in the study of the relationship between Kyrgyz stockbreeders and wolves. *Social Science Information* 45:3, 463-478. [Crossref]
- 70. Bill Tomlinson. 2005. Social characters for computer games. Interactive Technology and Smart Education 2:2, 101-115. [Crossref]
- 71. Régan R. Rostain, Merav Ben-David, Pamela Groves, Jan A. Randall. 2004. Why do river otters scent-mark? An experimental test of several hypotheses. *Animal Behaviour* 68:4, 703-711. [Crossref]
- Traci Cipponeri, Paul Verrell. 2003. An uneasy alliance: unequal distribution of affiliative interactions among members of a captive wolf pack. *Canadian Journal of Zoology* 81:10, 1763-1766. [Abstract] [PDF] [PDF Plus]
- 73. Guillaume Chapron, Stéphane Legendre, Régis Ferrière, Jean Clobert, Robert G Haight. 2003. Conservation and control strategies for the wolf (Canis lupus) in western Europe based on demographic models. *Comptes Rendus Biologies* **326**:6, 575-587. [Crossref]
- Anne Frézard, Gilles Le Pape. 2003. Contribution to the welfare of captive wolves (Canis lupus lupus): A behavioral comparison of six wolf packs. Zoo Biology 22:1, 33-44. [Crossref]

- 75. Rolf O Peterson, Amy K Jacobs, Thomas D Drummer, L David Mech, Douglas W Smith. 2002. Leadership behavior in relation to dominance and reproductive status in gray wolves, Canis lupus. *Canadian Journal of Zoology* **80**:8, 1405-1412. [Abstract] [PDF] [PDF Plus]
- 76. Daniel R Stahler, Douglas W Smith, Robert Landis. 2002. The acceptance of a new breeding male into a wild wolf pack. *Canadian Journal of Zoology* **80**:2, 360-365. [Abstract] [PDF] [PDF Plus]